



0-WEB.ru

[Rage Plugin Hook Cracked](#)

```

.text:00000001414B4B54 ; ===== S U B R O U T I N E =====
.text:00000001414B4B54
.text:00000001414B4B54
.text:00000001414B4B54 ; __int64 __fastcall GetScriptHandleAddress(signed int handle)
.text:00000001414B4B54 GetScriptHandleAddress proc near ; CODE XREF: GetEntityAddressAndCheckPedFlag+6↑p
.text:00000001414B4B54 ; sub_140954E80+1F0↑p ...
.text:00000001414B4B54 cmp ecx, 0FFFFFFFFh
.text:00000001414B4B57 jz short loc_1414B4B8A
.text:00000001414B4B59 mov r9, cs:qword_142BF6B98
.text:00000001414B4B60 mov r8d, ecx
.text:00000001414B4B63 mov rax, [r9+8]
.text:00000001414B4B67 sar r8d, 8
.text:00000001414B4B6B cmp [r8+rax], c1
.text:00000001414B4B6F jnz short loc_1414B4B7E
.text:00000001414B4B71 mov eax, [r9+14h]
.text:00000001414B4B75 imul eax, r8d
.text:00000001414B4B79 add rax, [r9]
.text:00000001414B4B7C jmp short loc_1414B4B80
.text:00000001414B4B7E ; -----
.text:00000001414B4B7E loc_1414B4B7E: ; CODE XREF: GetScriptHandleAddress+1B↑j
.text:00000001414B4B7E xor eax, eax
.text:00000001414B4B80 loc_1414B4B80: ; CODE XREF: GetScriptHandleAddress+28↑j
.text:00000001414B4B80 test rax, rax
.text:00000001414B4B83 jz short loc_1414B4B8A
.text:00000001414B4B85 mov rax, [rax+8]
.text:00000001414B4B89 retn
.text:00000001414B4B8A ; -----
.text:00000001414B4B8A loc_1414B4B8A: ; CODE XREF: GetScriptHandleAddress+3↑j
.text:00000001414B4B8A ; GetScriptHandleAddress+2F↑j
.text:00000001414B4B8A xor eax, eax
.text:00000001414B4B8C retn
.text:00000001414B4B8C GetScriptHandleAddress endp
.text:00000001414B4B8C ; -----
.text:00000001414B4B8C ; -----

```

[Rage Plugin Hook Cracked](#)



0-WEB.ru

